

ARBORCOAT EXTERIOR OIL FINISH TRANSLUCENT (C326)

by Benjamin Moore & Co.

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 00 00.00 Finishes: Finishes

PRODUCT DESCRIPTION: A premium quality translucent deck and siding stain that penetrates deeper into the wood to provide superior durability. Trans-Oxide pigments are ground into this weather tested resin to provide ultimate sun protection, abrasion and mildew resistance. It may be used over substrates previously stained with a transparent stain in good condition.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?
 Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
% weight and role provided for all substances.

Screened Yes Ex/SC Yes No
All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No
All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

ARBORCOAT EXTERIOR OIL FINISH TRANSLUCENT (C326) [
PARACHLOROBENZOTRIFLUORIDE (PCBTF) LT-P1 | MUL SOYBEAN OIL,
POLYMER WITH PENTAERYTHRITOL AND TDI LT-UNK LINSEED OIL,
POLYMER WITH PENTAERYTHRITOL AND TDI LT-UNK DISTILLATE FUEL
OILS, LIGHT BM-2 | MAM | CAN LINSEED OIL NoGS STODDARD SOLVENT
LT-1 | MAM | GEN | CAN | MUL SILICA, AMORPHOUS LT-P1 | CAN
NEPHELINE SYENITE LT-UNK ZINC BORATE (FIREBRAKE ZB) NoGS
CETYL PALMITATE NoGS XYLENES BM-1 | SKI | END | MUL | REP]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:
None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 201 Regulatory (g/l): 244
Does the product contain exempt VOCs: Yes
Are ultra-low VOC tints available: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Exterior Product - No Emission Certification
VOC content: CARB07 & OTC11 Compliant

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2019-03-08

PUBLISHED DATE: 2019-03-08

EXPIRY DATE: 2022-03-08



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

ARBORCOAT EXTERIOR OIL FINISH TRANSLUCENT (C326)

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Based on information provided by raw material suppliers

OTHER PRODUCT NOTES: None

PARACHLOROBENZOTRIFLUORIDE (PCBTF)

ID: 98-56-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-03-08

#: 15.0000 - 25.0000

GS: LT-P1

RC: None

NANO: No

ROLE: Thinner/Solvent

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: None

SOYBEAN OIL, POLYMER WITH PENTAERYTHRITOL AND TDI

ID: 68038-49-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-03-08

#: 15.0000 - 25.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Additive

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: None

LINSEED OIL, POLYMER WITH PENTAERYTHRITOL AND TDI

ID: 68071-85-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-03-08

#: 5.0000 - 15.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Additive

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: None

DISTILLATE FUEL OILS, LIGHT

ID: 64742-47-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-08**

#: **5.0000 - 15.0000**

GS: **BM-2**

RC: **None**

NANO: **No**

ROLE: **Thinner/Solvent**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

MAMMALIAN

EU - GHS (H-Statements)

H304 - May be fatal if swallowed and enters airways

CANCER

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: None

LINSEED OIL

ID: 8001-26-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-08**

#: **5.0000 - 10.0000**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Additive**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: None

STODDARD SOLVENT

ID: 8052-41-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-08**

#: **2.0000 - 7.0000**

GS: **LT-1**

RC: **None**

NANO: **No**

ROLE: **Additive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B
GENE MUTATION	Malaysia - GHS	H340 - May cause genetic defects
CANCER	Malaysia - GHS	H350 - May cause cancer
GENE MUTATION	Australia - GHS	H340 - May cause genetic defects
CANCER	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES: **None**

SILICA, AMORPHOUS

ID: **7631-86-9**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-08**

#: **2.0000 - 10.0000**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Color Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: **None**

NEPHELINE SYENITE

ID: **37244-96-5**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-08**

#: **2.0000 - 7.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Extender Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: **None**

ZINC BORATE (FIREBRAKE ZB)

ID: 138265-88-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-03-08		
%: 2.0000 - 7.0000	GS: NoGS	RC: None	NANO: No	ROLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
No hazards found				

SUBSTANCE NOTES: **None**

CETYL PALMITATE

ID: 540-10-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-03-08		
%: 0.5000 - 2.0000	GS: NoGS	RC: None	NANO: No	ROLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
No hazards found				

SUBSTANCE NOTES: **None**

XYLENES

ID: 1330-20-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-03-08		
%: 0.5000 - 2.0000	GS: BM-1	RC: None	NANO: No	ROLE: Thinner/Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B		

SUBSTANCE NOTES: **None**

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Exterior Product - No Emission Certification

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-03-08**

EXPIRY DATE:

CERTIFIER OR LAB: **None**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **None**

VOC CONTENT

CARB07 & OTC11 Compliant

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-03-08**

EXPIRY DATE:

CERTIFIER OR LAB: **None**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **None**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

GENNEX COLORANTS (229)

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Required for all tinted products.

Section 5: General Notes

SDS and TDS available on www.benjaminmoore.com



MANUFACTURER INFORMATION

MANUFACTURER: **Benjamin Moore & Co.**
ADDRESS: **101 Paragon Drive**
Montvale NJ 07645, USA
WEBSITE: **www.Benjaminmoore.com**

CONTACT NAME: **Edja Kouassi**
TITLE: **Technical Project Manager**
PHONE: **9732522607**
EMAIL: **Edja.kouassi@benjaminmoore.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.