# **REGAL SELECT WATERBORNE INTERIOR PEARL FINISH (550)** by Benjamin Moore & Co.

# **Health Product** Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 00 00.00 Finishes: Finishes

PRODUCT DESCRIPTION: A premium quality, easy to use, durable and washable pearl finish. Beautiful finish for trim and accents. Ideal for surfaces subject to abuse and soil such as corridors, stairwells, cafeterias, locker rooms, laboratories, etc. Easy to apply by brush, roller, or spray gun. Excellent hiding and leveling properties. Self-priming on most substrates.



# Section 1: Summary

# **Basic Method / Product Threshold**

## CONTENT INVENTORY

## **Inventory Reporting Format**

- Nested Materials Method
- Basic Method
- **Threshold Disclosed Per**
- Material
- Product

## Threshold level

- € 100 ppm
- C 1,000 ppm
- Per GHS SDS
- C Per OSHA MSDS
- Other

## Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided

for Residuals/Impurities? Yes No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened

○ Yes Ex/SC ○ Yes ○ No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

○ Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

## CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

REGAL SELECT WATERBORNE INTERIOR PEARL FINISH (550) [ WATER BM-4 METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END KAOLIN CLAY LT-UNK | CAN KAOLIN, CALCINED LT-UNK ETHOXYLATED-2,4,7,9-TETRAMETHYL-5-DECYNE-4,7-DIOL LT-P1 | MUL HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL), CONTAINING LESS THAN 3% DMSO AS MEASURED BY IP 346 LT-UNK SILICA, AMORPHOUS LT-P1 CAN ALUMINA TRIHYDRATE BM-2 | RES ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:** 

None

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 0.00 Regulatory (g/l): 0.00 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

## **CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed.

Third Party Verified?

C Yes

PREPARER: Self-Prepared

SCREENING DATE: 2019-03-04 PUBLISHED DATE: 2019-03-04



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

## **REGAL SELECT WATERBORNE INTERIOR PEARL FINISH (550)**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Based on information provided by raw material suppliers

OTHER PRODUCT NOTES: None

| WATER  |                        |          |                 | ID: <b>7732-18-5</b>  |
|--|------------------------|----------|-----------------|-----------------------|
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-03-04 |                        |          |                 |                       |
| %: <b>40.0000 - 50.0000</b>  | GS: <b>BM-4</b>        | RC: None | nano: <b>No</b> | ROLE: Thinner/Solvent |
| HAZARD TYPE  | AGENCY AND LIST TITLES | WARNING  | 9S              |                       |
|  | No hazards found       |          |                 |                       |
| SUBSTANCE NOTES: <b>None</b>   |                        |          |                 |                       |

| METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE   |                        |          |                 |                     |  |
|--|------------------------|----------|-----------------|---------------------|--|
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-03-04 |                        |          |                 |                     |  |
| %: 15.0000 - 25.0000   | GS: <b>LT-UNK</b>      | RC: None | nano: <b>No</b> | ROLE: <b>Binder</b> |  |
| HAZARD TYPE  | AGENCY AND LIST TITLES | WARNINGS |                 |                     |  |
|  | No hazards found       |          |                 |                     |  |
| SUBSTANCE NOTES: None  |                        |          |                 |                     |  |

| TITANIUM DIOXIDE                  |                                |               |                           | ID: <b>13463-67-7</b> |
|-----------------------------------|--------------------------------|---------------|---------------------------|-----------------------|
| HAZARD SCREENING METHOD: Pharos C | Chemical and Materials Library | HAZARD SCREEN | IING DATE: <b>2019-</b> ( | 03-04                 |
| %: <b>15.0000 - 25.0000</b>       | GS: <b>LT-1</b>                | RC: None      | NANO: <b>No</b>           | ROLE: Color Pigment   |

| HAZARD TYPE | AGENCY AND LIST TITLES                | WARNINGS   |
|-------------|---------------------------------------|--|
| CANCER      | US CDC - Occupational Carcinogens     | Occupational Carcinogen  |
| CANCER      | CA EPA - Prop 65                      | Carcinogen - specific to chemical form or exposure route   |
| CANCER      | IARC                                  | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources                       |
| ENDOCRINE   | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor  |
| CANCER      | MAK                                   | Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value |
| CANCER      | MAK                                   | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels                     |
|             |                                       |  |

SUBSTANCE NOTES: None

KAOLIN CLAY ID: 1332-58-7

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                        | HAZARD SCREEN | HAZARD SCREENING DATE: 2019-03-04            |                                 |  |  |
|--|------------------------|---------------|--|---------------------------------|--|--|
| %: 5.0000 - 10.0000  | GS: LT-UNK             | RC: None      | NANO: <b>No</b>                              | ROLE: Additive                  |  |  |
| HAZARD TYPE  | AGENCY AND LIST TITLES | WARNINGS      |  |                                 |  |  |
| CANCER   | MAK                    | -             | roup 3B - Evidence<br>ent for classification | e of carcinogenic effects<br>on |  |  |

SUBSTANCE NOTES: None

KAOLIN, CALCINED ID: 92704-41-1

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                        | HAZARD SCREENING DATE: 2019-03-04 |                 |                       |  |
|--|------------------------|-----------------------------------|-----------------|-----------------------|--|
| %: 1.0000 - 5.0000   | GS: LT-UNK             | RC: None                          | nano: <b>No</b> | ROLE: Extender Filler |  |
| HAZARD TYPE  | AGENCY AND LIST TITLES | WARNINGS                          |                 |                       |  |
|  | No hazards found       |                                   |                 |                       |  |

SUBSTANCE NOTES: None

## ETHOXYLATED-2,4,7,9-TETRAMETHYL-5-DECYNE-4,7-DIOL

ID: 9014-85-1

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |           | HAZARD SCREENING DATE: 2019-03-04 |                 |                |
|--|-----------|-----------------------------------|-----------------|----------------|
| %: <b>0.0500 - 1.0000</b>                                      | GS: LT-P1 | RC: None                          | nano: <b>No</b> | ROLE: Additive |

| HAZARD TYPE | AGENCY AND LIST TITLES                      | WARNINGS                   |
|-------------|---|----------------------------|
| MULTIPLE    | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters |
|             |   |                            |

SUBSTANCE NOTES: None

SUBSTANCE NOTES: None

# HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL), CONTAINING LESS THAN 3% DMSO AS MEASURED BY IP 346

ID: 64742-54-7

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                        |          | HAZARD S           | CREENING DAT       | E: 2019-03-04         |
|--|------------------------|----------|--------------------|--------------------|-----------------------|
| %: 0.0500 - 1.0000   | GS: LT-UNK             |          | RC:<br><b>None</b> | NANO:<br><b>No</b> | ROLE: <b>Defoamer</b> |
| HAZARD TYPE  | AGENCY AND LIST TITLES | WARNINGS |                    |                    |                       |
|  | No hazards found       |          |                    |                    |                       |
|  |                        |          |                    |                    |                       |

SILICA, AMORPHOUS ID: 7631-86-9

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                        | HAZARD SCREENING DATE: 2019-03-04         |  |  |  |
|--|------------------------|---|--|--|--|
| %: Impurity/Residual   | GS: <b>LT-P1</b>       | RC: None NANO: No ROLE: Impurity/Residual |  |  |  |
| HAZARD TYPE  | AGENCY AND LIST TITLES | WARNINGS                                  |  |  |  |
| CANCER   | Japan - GHS            | Carcinogenicity - Category 1A             |  |  |  |
| CANCER   | Australia - GHS        | H350i - May cause cancer by inhalation    |  |  |  |
|  |                        |   |  |  |  |

SUBSTANCE NOTES: None

ALUMINA TRIHYDRATE ID: 21645-51-2

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                        | HAZARD SCREENING DATE: 2019-03-04 |                   |                         |  |
|--|------------------------|-----------------------------------|-------------------|-------------------------|--|
| %: Impurity/Residual   | GS: <b>BM-2</b>        | RC: None                          | nano: <b>No</b>   | ROLE: Impurity/Residual |  |
| HAZARD TYPE  | AGENCY AND LIST TITLES | WARNIN                            | IGS               |                         |  |
| RESPIRATORY  | AOEC - Asthmagens      | Asthm                             | nagen (Rs) - sens | sitizer-induced         |  |
|  |                        |                                   |                   |                         |  |

SUBSTANCE NOTES: None



# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS** CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

ISSUE DATE: 2017-

02-24

03-04

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URI:

CERTIFICATION AND COMPLIANCE NOTES: None

**VOC CONTENT** SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: None

ISSUE DATE: 2019-

EXPIRY DATE:

HPD URL: No HPD available

EXPIRY DATE: 2020-

02-24

CERTIFIER OR LAB: None

CERTIFIER OR LAB: Berkeley

Analytical

# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

## **GENNEX COLORANT (229)**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Required for all tinted products



# Section 5: General Notes

SDS/TDS available at www.benjaminmoore.com

### MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co.

ADDRESS: 101 Paragon Drive Montvale NJ 07645, USA

WEBSITE: www.Benjaminmoore.com

CONTACT NAME: Edja Kouassi

TITLE: Technical Project Manager

PHONE: 973-252-2607

EMAIL: Edja.Kouassi@benjaminmoore.com

### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### **Hazard Types**

AQU Aquatic toxicity

CAN Cancer

**DEV** Developmental toxicity **END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity
RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

NF Not found on Priority Hazard Lists

### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

## **Recycled Types**

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

**Both** Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1
LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

### **Other Terms**

## **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
  created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.