

Name AURA WATERBORNE INTERIOR PAINT MATTE FINISH

Product ID 522 **Classification** 09 00 00.00 Finishes: Finishes

Website Benjamin.moore.com



Manufacturer Address Benjamin Moore & Co.
360 Route 206
P.O. Box 4000
Flanders, NJ 07836

Contact Name Edja Kouassi
Title Technical Product Manager
Phone 973-252-2607
Email Edja.kouassi@benjaminmoore.com

Description Aura Matte Finish is part of an innovative paint and colorant system integrating the best technologies to deliver superior durability for any color along with the promise of long lasting beauty. In addition to using 100% acrylic latex, proprietary resins have been incorporated to give the product its extraordinary performance properties.

Release Date 2016-06-28 Self-declared

Expiry Date 2019-06-28 Second Party **Certifier**

HPD URL <https://builder.hpd-collaborative.org/uploads/files/hpds/195/4367-20160628220312.pdf> Third Party **Certificate #**

SUMMARY DISCLOSURE

The content of this product was assessed for health hazard warnings as required using Pharos

Residuals Disclosure Measured 100 ppm (ideal) Measured 1000 ppm Predicted by process chemistry As per MSDS (1,000 & 10,000 ppm) Not disclosed Other

Full Disclosure of Intentional Ingredients Yes No

Full Disclosure of Known Hazards Yes No

Disclosure Notes

Contents in Descending Order of Quantity

WATER , Titanium dioxide , Acrylic acid, butyl ester, methacrylic acid, methacrylic acid, methyl ester polymer , CALCIUM CARBONATE , NEPHELINE SYENITE , KAOLIN CLAY , SILICA, AMORPHOUS , Kaolin, calcined , DIATOMACEOUS EARTH (UNCALCINED) , Alumina trihydrate

Hazards

PBT (Persistent Bioaccumulative Toxic) Development Reproductive Endocrine Cancer Respiratory Gene Mutation

Highest concern GreenScreen score - List Translator Benchmark 1

Neurotoxicity Land toxicity Multiple Unknown Mammal Physical hazard Skin or Eye Global warming Aquatic toxicity Ozone depletion

Total VOC Content

Material (g/L) **Regulatory (g/L)** 0.00 **Does the product contain exempt VOCs?** N/A Yes No **Are there VOC-free tints available?** N/A Yes No

Notes

Benjamin Moore® Gennex® waterborne colorants

Certifications + Compliance

VOC Emissions CA Section 01350 (CHPS) Emission Test - CDPH/EHLB Standard Method V1.1 - Classroom & Office scenario **VOC Content** Not tested

The HPD Standard is solely a declaration of product content and direct health hazards associated with exposure to its individual contents. It is not a full assessment of environmental impacts from the life cycle of this product. It is not an assessment of risks associated with actual use of the product. It does not address the potential health impacts of substances used or created during manufacture that do not appear in the final product as residuals, nor substances created during combustion or other degradation processes.

This Health Product Declaration was generated following the requirements of the noted Standard version and is valid for a total of three years after date of issue or three months after a substantive change of product contents occurs. Users should verify that this Health Product Declaration is compliant with the most current version of the HPD Standard. Accuracy of claims made in this Health Product Declaration is the sole responsibility of the listed manufacturer and certifier (if applicable). The HPD Collaborative does not warrant any claim made herein, explicit or implicit. The HPD Standard is an “open standard” developed and managed by the HPD Collaborative, a nonprofit organization. For more information, visit hpdcollaborative.org.

CONTENT IN DESCENDING ORDER OF QUANTITY

All ingredients must be assessed for health warnings against Priority Hazard Lists, regardless of disclosure level.

Priority Hazard Lists and information on the GreenScreen Benchmarks can be found at www.hpdcollaborative.org/hazardlists.

GS: GreenScreen Benchmark; **RC:** Recycled Content, **PC:** Post Consumer, **PI:** Post Industrial (Pre-consumer), **BO:** Both; **Nano:** comprised of nanoscale particles or nanotechnology

Name	CAS RN	% weight	GS	RC	Nano	Role
Hazard A	Warning A					
Hazard B	Warning B					
Hazard C	Warning C					
Hazard D	Warning D					
Hazard E	Warning E					
Notes						
WATER	7732-18-5	45 - 60 %	4	PI	N	Thinner
None found	No warnings found on HPD Priority lists					
Actual percentage is within reported range.						
Titanium dioxide	13463-67-7	15 - 25 %	LT-1	N	N	Color pigment
CANCER	NIOSH-C: Occupational carcinogen (also in Prop 65, IARC, MAK)					
Acrylic acid, butyl ester, methacrylic acid, methacrylic acid, methyl ester polymer	25035-69-2	15 - 25 %	LT-U	N	N	Binder
None found	No warnings found on HPD Priority lists					
CALCIUM CARBONATE	471-34-1	10 - 20 %	LT-U	N	N	Extender pigment
None found	No warnings found on HPD Priority lists					
NEPHELINE SYENITE	37244-96-5	10 - 15 %	LT-U	N	N	Extender pigment
None found	No warnings found on HPD Priority lists					
Actual percentage by weight is within reported range.						
KAOLIN CLAY	1332-58-7	2 - 10 %	LT-U	N	N	Extender pigment

CANCER	MAK: Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification					
SILICA, AMORPHOUS	7631-86-9	1 - 10 %	LT-1	N	N	Additive
CANCER	NIOSH-C: Occupational carcinogen					
Kaolin, calcined	92704-41-1	1 - 10 %	LT-P1	N	N	Extender pigment
MULTIPLE	VwVwS: Class 3 Severe Hazard to Waters					
DIATOMACEOUS EARTH (UNCALCINED)	61790-53-2	1 - 5 %	LT-U	N	N	Extender pigment
None found	No warnings found on HPD Priority lists					
The Actual percentage by weight is within the reported range.						
Alumina trihydrate	21645-51-2	R	2			Unknown
RESPIRATORY	AOEC: Asthmagen (ARs) - sensitizer-induced - inhalable forms only					

CERTIFICATIONS AND COMPLIANCE

Certifying Party = First: Manufacturer's self-declaration; Second: Verification by trade association or other interested party; Third: Verification by independent certifier (ideal).

Applicable facilities = Manufacturing sites to which testing applies.

Type	Standard or Certification			Certifier or Laboratory
	Certifying Party	Issue Date	Expiry Date	Certificate URL
	Applicable Facilities			
	Notes			
VOC Emissions	CA Section 01350 (CHPS) Emission Test - CDPH/EHLB Standard Method V1.1 - Classroom & Office scenario			Berkeley Analytical
	1st party manufacturer claim	2015-02-05		https://builder.hpd-collaborative.org/uploads/files/certifications/195/1467165678.pdf
	All			
VOC Content	Not tested			
Recycled Content	Not tested			

Other			

ACCESSORY MATERIALS

This section is for additional products required by warranty or recommended by the manufacturer for installation (such as adhesives, fasteners, or factory coatings) or for maintenance, cleaning, or operations. Refer to Health Product Declarations, published separately, for a complete view of these products. Note: This declaration is not intended to address hazards of the installation process.

Required or Recommended Product	URL for Companion Health Product Declaration
Condition when required or recommended and/or other notes	

NOTES

Intentional content covers all bases and colors, weight % of individual product compositions add up to 100%.