

CLASSIFICATION: 09 00 00.00 Finishes: Finishes

PRODUCT DESCRIPTION: A professional-quality interior waterborne semi-gloss finish based on a proprietary acrylic resin that tints on the Gennex® zero VOC colorant system. This waterborne interior semi-gloss has excellent stain release so it washes clean easily. The product qualifies for LEED® credit and passes the most stringent environmental standards in any color. Because it tints on our Gennex® waterborne colorant system all Ultra Spec® 500 finishes are available in any color without an increase in VOC.

Section 1: Summary

Basic Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes No

Are All Substances Above the Threshold Indicated:

Characterized Yes No

Percent Weight and Role Provided?

Screened Yes No

Using Priority Hazard Lists with Results Disclosed?

Identified Yes No

Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | **SUBSTANCE** | *RESIDUAL OR IMPURITY*

GREENSCREEN SCORE | HAZARD TYPE

ULTRA SPEC 500 INTERIOR SEMI-GLOSS FINISH (N539) [**WATER** **BM-4**
METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE **LT-UNK**
2-PROPENOIC ACID, POLYMER WITH BUTYL 2-PROPENOATE AND ETHENYL ACETATE **LT-UNK** **TITANIUM DIOXIDE** **LT-1** | CAN | END **KAOLIN CLAY** **LT-UNK** | CAN **NEPHELINE SYENITE** **LT-UNK** **LIMESTONE; CALCIUM CARBONATE** **LT-UNK** **2,2'-ETHYLENEDIETHYL BIS(2-ETHYLHEXANOATE)** **LT-UNK** **SILICA, AMORPHOUS** **LT-P1** | CAN **ETHOXYLATED BRANCHED C11-C14, C13-RICH ALCOHOLS** **LT-UNK**
ALCOHOLS, C9-11, ETHOXYLATED **LT-P1** | MUL **ALUMINA TRIHYDRATE** **BM-2** | RES **SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346** **LT-UNK** **POLYETHYLENE GLYCOL** **LT-UNK**
HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL), CONTAINING LESS THAN 3% DMSO AS MEASURED BY IP 346 **LT-UNK** **ETHOXYLATED-2,4,7,9-TETRAMETHYL-5-DECYNE-4,7-DIOL** **LT-P1** | MUL **ISOOCTYL ALCOHOL PHOSPHATE, POTASSIUM SALT** **NoGS**
HEXANEDIOIC ACID, DIHYDRAZIDE **NoGS** **SODIUM LAURETH SULFATE** **LT-P1** | MUL **ALKENES, C14-16 ALPHA-, SULFONATED, SODIUM SALTS** **LT-UNK** **POTASSIUM CARBONATE, ANHYDROUS** **LT-P1** **ACETONE** **BM-2** | EYE | PHY | END | DEL]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.498

Regulatory (g/l): 1.250

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CONSISTENCY WITH OTHER PROGRAMS

Third Party Verified?

- Yes
- No

PREPARER: **Self-Prepared**

VERIFIER:

VERIFICATION #:

SCREENING DATE: **2017-06-08**

PUBLISHED DATE: **2018-08-31**

EXPIRY DATE: **2020-06-08**



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

ULTRA SPEC 500 INTERIOR SEMI-GLOSS FINISH (N539)

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES:

OTHER PRODUCT NOTES:

WATER

ID: 7732-18-5

#: 50.0000 - 60.0000 GS: BM-4 RC: None NANO: No ROLE: Thinner/solvent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE

ID: 25852-37-3

#: 15.0000 - 25.0000 GS: LT-UNK RC: None NANO: No ROLE: Binder

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

2-PROPENOIC ACID, POLYMER WITH BUTYL 2-PROPENOATE AND ETHENYL ACETATE

ID: 25085-41-0

#: 15.0000 - 25.0000 GS: LT-UNK RC: None NANO: No ROLE: Binder

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

TITANIUM DIOXIDE

ID: 13463-67-7

%: 10.0000 - 20.0000	GS: LT-1	RC: None	NANO: No	ROLE: Color Pigment
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
SUBSTANCE NOTES:				

KAOLIN CLAY

ID: **1332-58-7**

%: 5.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Extender filler
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
SUBSTANCE NOTES:				

NEPHELINE SYENITE

ID: **37244-96-5**

%: 5.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Extender filler
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			
SUBSTANCE NOTES:				

LIMESTONE; CALCIUM CARBONATE

ID: **1317-65-3**

%: 5.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Extender filler
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			
SUBSTANCE NOTES:				

2,2'-ETHYLENEDIOXYDIETHYL BIS(2-ETHYLHEXANOATE)

ID: **94-28-0**

#: 0.5000 - 5.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Coalescing agent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

SILICA, AMORPHOUS

ID: 7631-86-9

#: Impurity/Residual

GS: LT-P1

RC: None

NANO: No

ROLE: Impurity/Residual

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

Japan - GHS

Carcinogenicity - Category 1A

SUBSTANCE NOTES:

ETHOXYLATED BRANCHED C11-C14, C13-RICH ALCOHOLS

ID: 78330-21-9

#: 0.1000 - 1.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Surfactant

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

ALCOHOLS, C9-11, ETHOXYLATED

ID: 68439-46-3

#: 0.1000 - 1.0000

GS: LT-P1

RC: None

NANO: No

ROLE: Surfactant

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES:

ALUMINA TRIHYDRATE

ID: 21645-51-2

#: Impurity/Residual

GS: BM-2

RC: None

NANO: No

ROLE: Impurity/Residual

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (ARs) - sensitizer-induced - inhalable forms only

SUBSTANCE NOTES:

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346

ID: 64742-65-0

%: **0.0500 - 0.5000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Defoamer**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

POLYETHYLENE GLYCOL

ID: 25322-68-3

%: **Impurity/Residual** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL), CONTAINING LESS THAN 3% DMSO AS MEASURED BY IP 346

ID: 64742-54-7

%: **0.0500 - 0.5000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Defoamer**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

ETHOXYLATED-2,4,7,9-TETRAMETHYL-5-DECYNE-4,7-DIOL

ID: 9014-85-1

%: **0.0100 - 0.5000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Surfactant**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES:

ISOOCTYL ALCOHOL PHOSPHATE, POTASSIUM SALT

ID: 68647-19-8

%: **0.0100 - 0.2000** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Additive**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

HEXANEDIOIC ACID, DIHYDRAZIDE

ID: 1071-93-8

#: **0.0100 - 0.2000** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Cross-linker**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

SODIUM LAURETH SULFATE

ID: 68585-34-2

#: **0.0100 - 0.2000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Additive**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES:

ALKENES, C14-16 ALPHA-, SULFONATED, SODIUM SALTS

ID: 68439-57-6

#: **0.0100 - 0.1500** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Additive**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

POTASSIUM CARBONATE, ANHYDROUS

ID: 584-08-7

#: **0.0100 - 0.1000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Additive**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

ACETONE

ID: 67-64-1

#: **Impurity/Residual** GS: **BM-2** RC: **None** NANO: **No** ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

EYE IRRITATION	EU - R-phrases	R36 - Irritating to eyes
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
DEVELOPMENTAL	MAK	Pregnancy Risk Group B

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2016-11-30**

EXPIRY DATE: **2019-11-30**

CERTIFIER OR LAB: **Berkeley Analytical**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **None**

VOC CONTENT

SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2018-08-31**

EXPIRY DATE:

CERTIFIER OR LAB: **None**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **None**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

GENNEX COLORANT (229)

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Required for all tinted products

Section 5: General Notes

SDS/TDS available at www.benjaminmoore.com



MANUFACTURER INFORMATION

MANUFACTURER: **Benjamin Moore & Co.**
ADDRESS: **101 Paragon Drive**
Montvale NJ 07645, USA
WEBSITE: **www.Benjaminmoore.com**

CONTACT NAME: **Edja Kouassi**
TITLE: **Technical Project Manager**
PHONE: **973-252-2607**
EMAIL: **Edja.kouassi@benjaminmoore.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.