

AT-A-GLANCE PRODUCT GUIDE

Primers, Floor Coatings, Masonry Coatings, Pool Paints, Traffic Paints, Athletic Coatings and Specialty Coatings



No matter the problem, INSL-X® has the solution

INSL-X® has long been a leader in coatings and primers for some of the most challenging paint projects. Every INSL-X® product is specially designed to coat unique surfaces that demand more than just ordinary paint.

These products coat and protect cabinets, trim, garage floors, concrete, swimming pools, patios, parking lots, athletic fields and courts, and many other surfaces. They provide stain <u>blocking</u>, <u>water resistance</u>, superior bonding and various other advantages.



	PRIMERS	FLOOR COATINGS	MASONRY COATINGS	POOL PAINTS	TRAFFIC PAINTS	ATHLETIC COATINGS	SPECIALTY COATINGS	
Benefits	Interior and exterior water-based and solvent-based primers that are formulated to solve a variety of priming needs.	Easy to apply, quality floor coatings formulated with durability and beauty in mind.	Interior and exterior masonry coatings that prime, seal, waterproof, and add color and beauty.	A full line of dependable pool paints designed for all types of in-ground pools.	Line-marking and zone-marking paints offered in a variety of colors and vehicle types including latex, fast-set acrylics, and alkyds.	Concentrated marking paste or ready-to-use paint for grass or turf, and a complete coating system for refinishing recreational court surfaces.	Specialized problem-solving and specialty paints that are designed for challenging coating needs.	
Available Features*	 General purpose priming Tannin-blocking Stain-blocking Seal porous surfaces Adhesion to hard-to-coat surfaces Fast drying Provide a mold resistant coating 	- Resist hot tire pickup - Chemical resistance - Oil and grease protection - Abrasion resistance - Impact resistance - Quick return to service - Anti-slip properties	 Flexibility to use as a stain or opaque coating Excellent water resistance and waterproofing Ease of application Color-fade resistance Alkali resistance 	- Chemical resistance - Abrasion resistance - Available in multiple ready-made colors - For use on new or existing pools	- Fast drying - Abrasion resistance - Oil, grease, gasoline resistance - Interior and exterior surfaces - Weather-resistant	- Fast-drying- Won't kill grass- Semi-permanent coating- High-performance	- Create an ultra-smooth finish on cabinets - Disappearing color-change technology - Slow the spread of fire - Minimize smoke damage - Encapsulate lead-containing paint - Application in sub-freezing temperatures	
Great For*	Drywall, Plaster, Acoustic Tile, Wood Trim, Doors, Formica, Ceramic, Glossy Surfaces, PVC, Wood Siding, Fences, Shutters, Cedar and Redwood, Masonry, Stucco, Galvanized Metal, Tile	Garage Floors, Basement Floors, Walkways, Porches, Patios, Other Concrete Surfaces	Masonry Surfaces Including Concrete Walls, Balconies, Patios, Pool Decks, Concrete Basement Floors, Walkways, Concrete Columns	Previous Epoxy Coatings, Steel, Fiberglass, Bare Concrete, Marcite, Gunite, Masonry Surfaces in Good Condition	Streets, Parking Lots, Warehouses, Garages, Curbs, Other Concrete and Asphalt Surfaces	Grass, Natural or Artificial Turf, Concrete, Asphalt	Kitchen and Bathroom Cabinets, Interior Ceilings, Interior Walls and Trim, Exterior Wood and Masonry, Frozen Food Lockers, Cold Storage Facilities	
Products	Prime All® (AP-1000) Aqua Lock® (AQ-0XXX) Stix® (SXA-110) Prime Lock (PS-8000) Seal Lock® (IL-6800)	GarageGuard® (EGG-XXX) Hot Trax® (HTF-XXX) Tough Shield® (CTS-3XXX) Sure Step® (SU-0XXX) Floor Flakes (EGF-XXX)	TuffCrete® (CST-2XXX / CST-5XXX) WaterBlock® (AMW-1000)	Waterborne (WR-10XX) Rubber-Based (RP-27XX) Chlorinated Rubber (CR-26XX) Epoxy (IG-40XX)	Latex (TP-22XX / TP-32XX) Acrylic Fast Set (TP-23XX / TP-33XX) Alkyd (TP-24XX / TP-34XX)	Field Marking (FM65-XX / B0-5500) Tru-flex® (TRC-XXX)	Cabinet Coat (CC-55XX / CC-56XX) Color-Changing Ceiling Paint (PC-1200) Fire Retardant Paint (FR-2100) Lead Block® (EC-3210) Freezer Kote (FK-13XX)	

Block Out® Interior (NO-4000) Block Out® Exterior (TB-1100)

^{*}Not all features or surfaces apply to all products. Check product label and Technical Data Sheet.





023906759506